BRAIN RESEARCH

VOL. 782 NOS. 1,2 **CONTENTS** **26 JANUARY 1998**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the submission of manuscripts v

Research reports

Brain 5-HT_{1A} receptor autoradiography and hypothermic responses in rats bred for differences in 8-OH-DPAT sensitivity
D.J. Knapp, D.H. Overstreet and F.T. Crews (USA) 1

Castration decreases extracellular, but increases intracellular, dopamine in medial preoptic area of male rats
J. Du, D.S. Lorrain and E.M. Hull (USA) 11

Effects of the opioid antagonist naltrexone on feeding induced by DAMGO in the central nucleus of the amygdala and in the paraventricular nucleus in the rat
S.Q. Giraudo, C.J. Billington and A.S. Levine (USA) 18

Central renin injections: effects on drinking and expression of immediate early genes
Z. Xu and A.K. Johnson (USA) 24

Increase of glucose transporter densities (Glut1 and Glut3) during chronic administration of nicotine in rat brain
R. Duelli, R. Staudt, F. Grünwald and W. Kuschinsky (Germany) 36

Ethanol inhibition of NMDA currents in acutely dissociated medial septum/diagonal band neurons from ethanol dependent rats
C.A. Grover, K.A. Wallace, S.A. Lindberg and G.D. Frye (USA) 43

Calretinin-immunoreactive elements in the retina and optic tectum of the frog, *Rana esculenta*
R. Gábriel, B. Völgyi and E. Pollák (Hungary) 53

Suprachiasmatic nucleus: role in circannual body mass and hibernation rhythms of ground squirrels
N.F. Ruby, J. Dark, H.C. Heller and I. Zucker (USA) 63

Participation of AT_1 and AT_2 receptor subtypes in the tonic inhibitory modulation of baroreceptor reflex response by endogenous angiotensins at the nucleus tractus solitarii in the rat
H.F. Luoh and S.H.H. Chan (Taiwan) 73

Lithium inhibits the reverse tolerance and the c-Fos expression induced by methamphetamine in mice
M. Namima, K. Sugihara and K. Okamoto (Japan) 83

Multiple pathways for regulation of the KCl-induced [^{3}H]-GABA release by metabotropic glutamate receptors, in primary rat cortical cultures
H. Schaffhauser, F. Knoflach, J.R. Pink, Z. Bleuel, J. Cartmell, F. Goepfert, J.A. Kemp, J.G. Richards, G. Adam and V. Mutel (Switzerland) 91

Effect of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine in goldfish cerebellum: neurochemical and immunocytochemical analysis
R. Lucchi, S. Notari, S. Pierantozzi, O. Barnabei, L. Villani and A. Poli (Italy) 105

Brainstem neurons projecting to the rostral ventral respiratory group (VRG) in the medulla oblongata of the rat revealed by co-application of NMDA and biocytin
Y. Zheng, D. Riche, J.C. Rekling, A.S. Foutz and M. Denavit-Saubié (France, China, USA) 113

Spontaneous long-term remyelination after traumatic spinal cord injury in rats
H. Salgado-Ceballos, G. Guizar-Sahagun, A. Feria-Velasco, I. Grijalva, L. Espitia, A. Ibarra and I. Madrazo (México) 126

Inflammation-induced Fos protein expression in the rat spinal cord is enhanced following dorsolateral or ventrolateral funiculus lesions
F. Wei, K. Ren and R. Dubner (USA) 136

Glutamate receptors in dysplasic cortex: an in situ hybridization and immunohistochemistry study in rats with prenatal treatment with methylazoxymethanol
A. Rafiki, N. Chevassus-au-Louis, Y. Ben-Ari, M. Khrestchatisky and A. Represa (France) 142

On the reorganization of sensory hand areas after mono-hemispheric lesion: a functional (MEG)/anatomical (MRI) integrative study
P.M. Rossini, F. Tecchio, V. Pizzella, D. Lupoi, E. Cassetta, P. Pasqualetti, G.L. Romani and A. Orlacchio (Italy) 153

Stimulation of expression of the oxytocin gene in rat supraoptic neurons at parturition
A.J. Douglas, H.K.M. Meeren, L.E. Johnstone, D.W. Pfaff, J.A. Russell and P.J. Brooks (UK, Netherlands, USA) 167

Preischemic hyperglycemia leads to rapidly developing brain damage with no change in capillary patency
P.-A. Li, J. Vogel, Q.-P. He, M.-L. Smith, W. Kuschinsky and B.K. Siesjö (Sweden, Germany) 175

α_2-Adrenergic receptor activation inhibits calcitonin gene-related peptide expression in cultured dorsal root ganglia neurons
S.C. Supowit, D.M. Hallman, H. Zhao and D.J. DiPette (USA) 184

Cerebral blood flow autoregulation following subarachnoid hemorrhage in rats: Chronic vasospasm shifts the upper and lower limits of the autoregulatory range toward higher blood pressures
S. Yamamoto, S. Nishizawa, H. Tsukada, T. Kakiuchi, T. Yokoyama, H. Ryu and K. Uemura (Japan) 194

Sustained bombesin exposure results in receptor down-regulation and tolerance to the chronic but not acute effects of bombesin on ingestion
H. Plamondon, C. Lambert and Z. Merali (France, Canada) 202

(contents continued on p. 356)

0006-8993(19980126)782:1/2;1-B

BRAIN RESEARCH

VOL. 782 NOS. 1,2 **CONTENTS** **26 JANUARY 1998**

Cited in Biological Abstracts (BIOSIS) – Chem. Abstracts – Index Medicus (MEDLINE) – Current Contents (Life Sci.) – Excerpta Medica (EMBASE) – Psychological Abstracts (PsycINFO) – Pascal et Francis (INIST-CNRS) – RIS (Reference Update) – Current Awareness in Biological Science (CABS)

Guidelines for the submission of manuscripts v

Research reports

Brain 5-HT_{1A} receptor autoradiography and hypothermic responses in rats bred for differences in 8-OH-DPAT sensitivity
D.J. Knapp, D.H. Overstreet and F.T. Crews (USA) 1

Castration decreases extracellular, but increases intracellular, dopamine in medial preoptic area of male rats
J. Du, D.S. Lorrain and E.M. Hull (USA) 11

Effects of the opioid antagonist naltrexone on feeding induced by DAMGO in the central nucleus of the amygdala and in the paraventricular nucleus in the rat
S.Q. Giraudo, C.J. Billington and A.S. Levine (USA) 18

Central renin injections: effects on drinking and expression of immediate early genes
Z. Xu and A.K. Johnson (USA) 24

Increase of glucose transporter densities (Glut1 and Glut3) during chronic administration of nicotine in rat brain
R. Duelli, R. Staudt, F. Grünwald and W. Kuschinsky (Germany) 36

Ethanol inhibition of NMDA currents in acutely dissociated medial septum/diagonal band neurons from ethanol dependent rats
C.A. Grover, K.A. Wallace, S.A. Lindberg and G.D. Frye (USA) 43

Calretinin-immunoreactive elements in the retina and optic tectum of the frog, *Rana esculenta*
R. Gábriel, B. Völgyi and E. Pollák (Hungary) 53

Suprachiasmatic nucleus: role in circannual body mass and hibernation rhythms of ground squirrels
N.F. Ruby, J. Dark, H.C. Heller and I. Zucker (USA) 63

Participation of AT_1 and AT_2 receptor subtypes in the tonic inhibitory modulation of baroreceptor reflex response by endogenous angiotensins at the nucleus tractus solitarii in the rat
H.F. Luoh and S.H.H. Chan (Taiwan) 73

Lithium inhibits the reverse tolerance and the c-Fos expression induced by methamphetamine in mice
M. Namima, K. Sugihara and K. Okamoto (Japan) 83

Multiple pathways for regulation of the KCl-induced [^{3}H]-GABA release by metabotropic glutamate receptors, in primary rat cortical cultures
H. Schaffhauser, F. Knoflach, J.R. Pink, Z. Bleuel, J. Cartmell, F. Goepfert, J.A. Kemp, J.G. Richards, G. Adam and V. Mutel (Switzerland) 91

Effect of 1-methyl-4-phenyl-1,2,3,6-tetrahydropyridine in goldfish cerebellum: neurochemical and immunocytochemical analysis
R. Lucchi, S. Notari, S. Pierantozzi, O. Barnabei, L. Villani and A. Poli (Italy) 105

Brainstem neurons projecting to the rostral ventral respiratory group (VRG) in the medulla oblongata of the rat revealed by co-application of NMDA and biocytin
Y. Zheng, D. Riche, J.C. Rekling, A.S. Foutz and M. Denavit-Saubié (France, China, USA) 113

Spontaneous long-term remyelination after traumatic spinal cord injury in rats
H. Salgado-Ceballos, G. Guizar-Sahagun, A. Feria-Velasco, I. Grijalva, L. Espitia, A. Ibarra and I. Madrazo (México) 126

Inflammation-induced Fos protein expression in the rat spinal cord is enhanced following dorsolateral or ventrolateral funiculus lesions
F. Wei, K. Ren and R. Dubner (USA) 136

Glutamate receptors in dysplasic cortex: an in situ hybridization and immunohistochemistry study in rats with prenatal treatment with methylazoxymethanol
A. Rafiki, N. Chevassus-au-Louis, Y. Ben-Ari, M. Khrestchatisky and A. Represa (France) 142

On the reorganization of sensory hand areas after mono-hemispheric lesion: a functional (MEG)/anatomical (MRI) integrative study
P.M. Rossini, F. Tecchio, V. Pizzella, D. Lupoi, E. Cassetta, P. Pasqualetti, G.L. Romani and A. Orlacchio (Italy) 153

Stimulation of expression of the oxytocin gene in rat supraoptic neurons at parturition
A.J. Douglas, H.K.M. Meeren, L.E. Johnstone, D.W. Pfaff, J.A. Russell and P.J. Brooks (UK, Netherlands, USA) 167

Preischemic hyperglycemia leads to rapidly developing brain damage with no change in capillary patency
P.-A. Li, J. Vogel, Q.-P. He, M.-L. Smith, W. Kuschinsky and B.K. Siesjö (Sweden, Germany) 175

α_2-Adrenergic receptor activation inhibits calcitonin gene-related peptide expression in cultured dorsal root ganglia neurons
S.C. Supowit, D.M. Hallman, H. Zhao and D.J. DiPette (USA) 184

Cerebral blood flow autoregulation following subarachnoid hemorrhage in rats: Chronic vasospasm shifts the upper and lower limits of the autoregulatory range toward higher blood pressures
S. Yamamoto, S. Nishizawa, H. Tsukada, T. Kakiuchi, T. Yokoyama, H. Ryu and K. Uemura (Japan) 194

Sustained bombesin exposure results in receptor down-regulation and tolerance to the chronic but not acute effects of bombesin on ingestion
H. Plamondon, C. Lambert and Z. Merali (France, Canada) 202

(contents continued on p. 356)

0006-8993(19980126)782:1/2;1-B

(contents continued)

Eliprodil, a non-competitive, NR2B-selective NMDA antagonist, protects pyramidal neurons in hippocampal slices from hypoxic/ischemic damage
M. Reyes, A. Reyes, T. Opitz, M.A. Kapin and P.K. Stanton (USA) 212
Methamphetamine-induced alterations in dopamine transporter function
B.A. Bennett, C.K. Hollingsworth, R.S. Martin and J.J. Harp (USA) 219
Dopamine release in the nucleus accumbens by hypothalamic stimulation-escape behavior
P.V. Rada, G.P. Mark and B.G. Hoebel (USA, Venezuela) 228
Serotonin regulates synaptic connections in the dentate molecular layer of adult rats via 5-HT_{1a} receptors: evidence for a glial mechanism
C.C. Wilson, K.M. Faber and J.H. Haring (USA) 235
NMDA receptor activation during status epilepticus is required for the development of epilepsy
A.C. Rice and R.J. DeLorenzo (USA) 240
Excitotoxic swelling occurs in oxygen and glucose deprived human cortical slices
J.L. Werth, T.S. Park, D.L. Silbergeld and S.M. Rothman (USA) 248
Increased levels of nerve growth factor in the urinary bladder and hypertrophy of dorsal root ganglion neurons in the diabetic rat
B.C. Steinbacher Jr. and I. Nadelhaft (USA) 255
Ammonia-induced depolarization of cultured rat cortical astrocytes
N. Allert, H. Köller and M. Siebler (Germany) 261
Similar feeding patterns are induced by perifornical neuropeptide Y injection and by food deprivation
C.L. Marín Bivens, W.J. Thomas and B.G. Stanley (USA) 271
The effects of extracellular pH and calcium manipulation on protein synthesis and response to anoxia/aglycemia in the rat hippocampal slice
K.M. Raley-Susman and J.R. Barnes (USA) 281
Protein kinase C modulates ischemia-induced amino acids release in the striatum of hypertensive rats
H. Nakane, H. Yao, S. Ibayashi, T. Kitazono, H. Ooboshi, H. Uchimura and M. Fujishima (Japan) 290
Centrifugal fibers are the only GABAergic structures of the retina of the larval sea lamprey: an immunocytochemical study
R. Anadón, M. Meléndez-Ferro, E. Pérez-Costas, M.A. Pombal and M.C. Rodicio (Spain) 297

Short communications

N-Methyl-D-aspartate receptors are indispensable for the formation of long-term potentiation in the rat suprachiasmatic nucleus in vitro
Y. Nisikawa, T. Shimazoe, S. Shibata and S. Watanabe (Japan) 303
2,3-dihydroxy-6-nitro-7-sulfamoyl-benzo(F)-quinoxaline (NBQX) increases fibroblast growth factor mRNA levels after contusive spinal cord injury
P. Follesa, J.R. Wrathall and I. Mocchetti (USA) 306
Site-specific effects of local pH changes in the substantia nigra pars reticulata on flurothyl-induced seizures
L. Velíšek, J. Velíšková and S.L. Moshé (USA, Czech Republic) 310
Evidence for a role of *N*-Methyl-D-aspartate receptors in L-arginine-induced attenuation of morphine antinociception
H.N. Bhargava, S.S. Sharma and J.-T. Bian (USA) 314
Modulation of the acoustic startle reflex by infusion of corticotropin-releasing hormone into the nucleus reticularis pontis caudalis
S.G. Birnbaum and M. Davis (USA) 318
Lesions of the nucleus basalis magnocellularis do not alter the proportions of pirenzepine- and gallamine-sensitive responses of somatosensory cortical neurones to acetylcholine in the rat
V.V. Raevsky, G.S. Dawe, J.D. Sinden and J.D. Stephenson (Russian Federation, UK) 324
Behavioral sensitization to amphetamine is not accompanied by a decrease in the number of c-Fos containing cells in the striatum
S.M. Turgeon, J.E. Blum and E.A. Auerbach (USA) 329
Age-related decrease in centrally-mediated pressor response to clonidine in conscious rats
H. Kawasaki, H. Araki, K. Futagami and Y. Gomita (Japan) 333
Phenidone blocks the increases of proenkephalin and prodynorphin gene expression induced by kainic acid in rat hippocampus: involvement of Fos-related antigene protein
H.-C. Kim, J.-H. Suh, J.-S. Won, W.-K. Jhoo, D.-K. Song, Y.-H. Kim, M.-B. Wie and H.-W. Suh (South Korea) 337
An electrophysiological investigation into the monosynaptic H-reflex in the rat
M. Gozariu, V. Roth, F. Keime, D. Le Bars and J.-C. Willer (France) 343
Hypothermia attenuates the activation of protein kinase C in focal ischemic rat brain: dual autoradiographic study of [^{3}H]phorbol 12,13-dibutyrate and iodo[^{14}C]antipyrine
Y. Tohyama, K. Sako and Y. Yonemasu (Japan) 348

Author Index 352